



Towable Passenger Stair

MODEL 265 Electric System



SPECIFICATION

HYDRAULIC PUMP
TOWABLE PASSANGER STAIR
MODEL 375



Manufactured by PT Dian Deka Prawira © 2013





GSE is the key of your Airline or Ground Service Company succes



We are the GSE solution to reduce cost without compromising safety & quality product in Indonesia.

Our manufactured product is with update from reference IATA AHM 925 / 910 Safety worthiness and certified by Department perhubungan udara.

DDPGSE.COM

"KEEPING YOUR GSE UP AND RUNNING"

DIMENSION ILLUSTRATION





2. Photo Product Information



Jack stabilizer



Tow Eye



Tampak Belakang



Hydraulic Hand Pump Adjustable



II. GENERAL INFORMATION

A. SPECIFICATION

Product Description

Towable Passanger Stair Model 265 dibuat dengan system Hydraulic Hand Pump adjustable.

1. DIMENSION

Dimensi total/ Overall Dimension

Panjang/Length Overall : 5100 mm

Lebar/Width (Anak Tangga) : 1300 mm

Lebar/ Width Overall : 1450mm

Tinggi/Heigth Operational : 2650 mm

Tinggi Anak Tangga : 150 mm

Berat rata-rata/Weigth approx : \pm 1150 kg

2. PERFOMANCE

Maximum Towing allowed : 20 Km/h

Aircraft Capability : Boeing 737 All series

Hydraulic Boom : Hydraulic Adjustable

Stabilizer : Manual Rotable hand adjustable 4 Ea

3. OTHER INFORMATION

Hydraulic Hand Pump : Single Hand Pump

Tires : 400.8 Solid Tires

Rims : 8 in^{ch}

Rear Axle : Rigid axle

Front Axle : 220 steering angle with Toweye